The IT4IT[™] Reference Architecture, Version 2.0 A Pocket Guide



Andrew Josey et al.



THE IT4IT™ REFERENCE ARCHITECTURE, VERSION 2.0

A POCKET GUIDE

The Open Group Publications available from Van Haren Publishing

The TOGAF Series:

TOGAF* Version 9.1 TOGAF* Version 9.1 – A Pocket Guide TOGAF* 9 Foundation Study Guide, 3rd Edition TOGAF* 9 Certified Study Guide, 3rd Edition

The Open Group Series:

The IT4IT⁻⁻ Reference Architecture, Version 2.0 – A Pocket Guide Cloud Computing for Business – The Open Group Guide ArchiMate^{*} 2.1 – A Pocket Guide ArchiMate^{*} 2.1 Specification ArchiMate^{*} 2 Certification – Study Guide

The Open Group Security Series:

Open Information Security Management Maturity Model (O-ISM3) Open Enterprise Security Architecture (O-ESA) Risk Management – The Open Group Guide The Open FAIR[™] Body of Knowledge – A Pocket Guide

All titles are available to purchase from: www.opengroup.org www.vanharen.net and also many international and online distributors.

The IT4IT™ReferenceArchitecture,Version 2.0APPCKETGUIDE

Prepared by Andrew Josey et al.





Title:	The IT4IT [™] Reference Architecture, Version 2.0 –	
	A Pocket Guide	
Series:	The Open Group Series	
A Publication of:	The Open Group	
Author:	Andrew Josey et al.	
Publisher:	Van Haren Publishing, Zaltbommel, www.vanharen.net	
ISBN Hardcopy:	978 94 018 0030 3	
ISBN eBook:	978 94 018 0588 9	
ISBN ePUB:	978 94 018 0589 6	
Edition:	First edition, first impression, October 2015	
Layout and Cover Design:	CO2 Premedia, Amersfoort – NL	
Copyright:	© 2015, The Open Group	
	All rights reserved	

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of the copyright owner.

The views expressed in this Pocket Guide are not necessarily those of any particular member of The Open Group.

In the event of any discrepancy between text in this document and the official IT4IT documentation, the IT4IT documentation remains the authoritative version for certification, testing by examination, and other purposes. The official IT4IT documentation can be obtained online at www.opengroup.org/bookstore/catalog/c155.htm.

The IT4IT[™] Reference Architecture, Version 2.0 - A Pocket Guide

Document Number: G154

Published by The Open Group, October 2015.

Comments relating to the material contained in this document may be submitted to:

The Open Group Apex Plaza Reading Berkshire, RG1 1AX United Kingdom

or by electronic mail to: ogspecs@opengroup.org

Contents

1	Introd	luction	23	
1.1	An Introduction to the IT4IT Reference Architecture			
1.2	Why U	Why Use the IT4IT Reference Architecture?		
1.3	The St	ructure of the IT4IT Reference Architecture	25	
	1.3.1	The IT Value Chain	25	
	1.3.2	The IT4IT Reference Architecture	27	
1.4	Positio	ning IT4IT	30	
	1.4.1	The Need for an IT Reference Architecture	30	
	1.4.2	Relationship to TOGAF, ArchiMate, and ITIL	31	
	1.4.3	Relationship to Other Industry Frameworks		
		and Methods	32	
2	Basic I	T4IT Concepts	33	
2.1	The IT	l'Value Chain	33	
2.2	IT Val	ue Streams	34	
2.3	The IT	Value Chain and the IT4IT Reference Architecture	35	
	2.3.1	The Service Model	36	
	2.3.2	The Information Model	38	
	2.3.3	The Functional Model	42	
	2.3.4	The Integration Model	44	
3	The S2	P Value Stream	47	
3.1	Overvi	ew	47	
3.2	Key Va	Key Value Propositions		
3.3	Activities		48	
3.4	Value Stream Diagram		49	
3.5	Enterp	Enterprise Architecture Functional Component		
	3.5.1	Purpose	50	
	3.5.2	Key Data Objects	50	

	3.5.3	Key Data Object Relationships	50
	3.5.4	Main Functions	50
3.6	Policy I	Functional Component	51
	3.6.1	Purpose	51
	3.6.2	Key Data Objects	51
	3.6.3	Key Data Object Relationships	51
	3.6.4	Main Functions	52
3.7	Propos	al Functional Component	53
	3.7.1	Purpose	53
	3.7.2	Key Data Objects	53
	3.7.3	Key Data Object Relationships	53
	3.7.4	Main Functions	54
3.8	Portfoli	io Demand Functional Component	56
	3.8.1	Purpose	56
	3.8.2	Key Data Objects	57
	3.8.3	Key Data Object Relationships	57
	3.8.4	Main Functions	57
3.9	Service	Portfolio Functional Component	58
	3.9.1	Purpose	58
	3.9.2	Key Data Objects	59
	3.9.3	Key Data Object Relationships	59
	3.9.4	Main Functions	60
3.10	IT Inve	estment Portfolio Auxiliary Functional Component	62
	3.10.1	Purpose	62
	3.10.2	Key Data Objects	62
	3.10.3	Key Data Object Relationships	64
	3.10.4	Main Functions	64
4	The R2	D Value Stream	65
4.1	Overvie	ew	65
4.2	Key Va	lue Propositions	66
4.3	Activiti		66

4.4	Value S	Stream Diagram	67
4.5	Project Functional Component		68
	4.5.1	Purpose	68
	4.5.2	Key Data Objects	68
	4.5.3	Key Data Object Relationships	68
	4.5.4	Main Functions	69
4.6	Require	ement Functional Component	71
	4.6.1	Purpose	71
	4.6.2	Key Data Objects	71
	4.6.3	Key Data Object Relationships	71
	4.6.4	Main Functions	72
4.7	Service	Design Functional Component	73
	4.7.1	Purpose	73
	4.7.2	Key Data Objects	74
	4.7.3	Key Data Object Relationships	74
	4.7.4	Main Functions	74
4.8	Source	Control Functional Component	76
	4.8.1	Purpose	76
	4.8.2	Key Data Objects	76
	4.8.3	Key Data Object Relationships	76
	4.8.4	Main Functions	77
4.9	Build F	Functional Component	78
	4.9.1	Purpose	78
	4.9.2	Key Data Objects	78
	4.9.3	Key Data Object Relationships	78
	4.9.4	Main Functions	78
4.10	Build Package Functional Component		79
	4.10.1	Purpose	79
	4.10.2	Key Data Objects	80
	4.10.3	Key Data Object Relationships	80
	4.10.4	Main Functions	80

4.11	Release	e Composition Functional Component	81
	4.11.1	Purpose	81
	4.11.2	Key Data Objects	81
	4.11.3	Key Data Object Relationships	82
	4.11.4	Main Functions	83
4.12	Test Fu	inctional Component	86
	4.12.1	Purpose	86
	4.12.2	Key Data Objects	86
	4.12.3	Key Data Object Relationships	86
	4.12.4	Main Functions	87
4.13	Defect	Functional Component	88
	4.13.1	Purpose	88
	4.13.2	Key Data Objects	88
	4.13.3	Key Data Object Relationships	88
	4.13.4	Main Functions	89
5	The R2	F Value Stream	91
5.1	Overvi	ew	91
5.2	Key Va	lue Propositions	92
5.3	Activit	ies	92
5.4	Value S	Stream Diagram	93
5.5	Engagement Experience Portal		94
	5.5.1	Purpose	94
	5.5.2	Key Data Objects	94
	5.5.3	Key Data Object Relationships	94
	5.5.4	Main Functions	96
5.6	Offer (Consumption Functional Component	96
	5.6.1	Purpose	96
	5.6.2	Key Data Objects	97
	5.6.3	Key Data Object Relationships	97
	5.6.4	Main Functions	97

5.7	Offer Management Functional Component		99
	5.7.1	Purpose	99
	5.7.2	Key Data Objects	99
	5.7.3	Key Data Object Relationships	99
	5.7.4	Main Functions	101
5.8	Catalog	g Composition Functional Component	101
	5.8.1	Purpose	101
	5.8.2	Key Data Objects	101
	5.8.3	Key Data Object Relationships	101
	5.8.4	Main Functions	102
5.9	Reques	t Rationalization Functional Component	102
	5.9.1	Purpose	102
	5.9.2	Key Data Objects	103
	5.9.3	Key Data Object Relationships	103
	5.9.4	Main Functions	105
5.10	Fulfilln	105	
	5.10.1	Purpose	105
	5.10.2	Key Data Objects	106
	5.10.3	Key Data Object Relationships	107
	5.10.4	Main Functions	107
5.7	Usage Functional Component		109
	5.7.1	Purpose	109
	5.7.2	Key Data Objects	109
	5.7.3	Key Data Object Relationships	109
	5.7.4	Main Functions	109
5.8	Charge	110	
	5.8.1	Purpose	110
	5.8.2	Key Data Objects	110
	5.8.3	Key Data Object Relationships	111
	5.8.4	Main Functions	111

5.9	Knowl	edge & Collaboration Secondary Functional Component	112
	5.9.1	Purpose	112
	5.9.2	Key Data Objects	112
	5.9.3	Key Data Object Relationships	112
	5.9.4	Main Functions	113
6	The D2	C Value Stream	115
6.1	Overvi	ew	115
6.2	Key Va	lue Propositions	116
6.3	Activities		
6.4	Service	e Monitoring Functional Component	118
	6.4.1	Purpose	118
	6.4.2	Key Data Objects	118
	6.4.3	Key Data Object Relationships	118
	6.4.4	Main Functions	118
6.5	Event	Functional Component	120
	6.5.1	Purpose	120
	6.5.2	Key Data Objects	120
	6.5.3	Key Data Object Relationships	120
	6.5.4	Main Functions	120
6.6	Incide	nt Functional Component	121
	6.6.1	Purpose	121
	6.6.2	Key Data Objects	122
	6.6.3	Key Data Object Relationships	122
	6.6.4	Main Functions	122
6.7	Proble	m Functional Component	125
	6.7.1	Purpose	125
	6.7.2	Key Data Objects	125
	6.7.3	Key Data Object Relationships	125
	6.7.4	Main Functions	126

Change	e Control Functional Component	128
6.8.1	Purpose	128
6.8.2	Key Data Objects	128
6.8.3	Key Data Object Relationships	128
6.8.4	Main Functions	129
Config	uration Management Functional Component	131
6.9.1	Purpose	131
6.9.2	Key Data Objects	131
6.9.3	Key Data Object Relationships	131
6.9.4	Main Functions	132
Diagno	ostics & Remediation Functional Component	134
6.10.1	Purpose	134
6.10.2	Key Data Objects	134
6.10.3	Key Data Object Relationships	134
6.10.4	Main Functions	134
Service	Level Functional Component	135
6.11.1	Purpose	135
6.11.2	Key Data Objects	135
6.11.3	Key Data Object Relationships	136
6.11.4	Main Functions	136
Other	IT Operations Area	138
Append	dix A Differences between IT4IT and ITIL	139
Appendix B Glossary		141
Appendix C Acronyms and Abbreviations		145
Index		147
	6.8.1 6.8.2 6.8.3 6.8.4 Config 6.9.1 6.9.2 6.9.3 6.9.4 Diagno 6.10.1 6.10.2 6.10.3 6.10.4 Service 6.11.1 6.11.2 6.11.3 6.11.4 Other I Append Append	 6.8.2 Key Data Objects 6.8.3 Key Data Object Relationships 6.8.4 Main Functions Configuration Management Functional Component 6.9.1 Purpose 6.9.2 Key Data Object Relationships 6.9.3 Key Data Object Relationships 6.9.4 Main Functions Diagnostics & Remediation Functional Component 6.10.1 Purpose 6.10.2 Key Data Object Relationships 6.10.3 Key Data Object Relationships 6.10.4 Main Functions Service Level Functional Component 6.11.1 Purpose 6.11.2 Key Data Objects 6.11.3 Key Data Objects 6.11.4 Main Functions Other IT Operations Area Appendix A Differences between IT4IT and ITIL Appendix B Glossary Appendix C Acronyms and Abbreviations

Preface

This Document

This document is the Pocket Guide for the IT4ITTM Reference Architecture, Version 2.0, an Open Group Standard. It is designed to provide a reference for Business Managers, IT professionals, practitioners, and IT leaders.

The IT Value Chain and IT4IT Reference Architecture represent the IT service lifecycle in a new and powerful way. They provide the missing link between industry standard best practice guides and the technology framework and tools that power the IT service management ecosystem. The IT Value Chain and IT4IT Reference Architecture are a new foundation on which to base your IT operating model. Together, they deliver a blueprint to accelerate IT's transition to becoming a service broker to the business. They also address strategic challenges brought about by mobility, cloud, big data, security, and Bring Your Own Device (BYOD).

This allows organizations to:

- Focus on the true role of IT: to deliver services that make the company more competitive.
- Support the multi-sourced service economy, enabling new experiences in driving the self-sourcing of services that power innovation.

The intended audiences for this Pocket Guide includes:

- Individuals who require a basic understanding of the IT Value Chain and IT4IT Reference Architecture
- IT Professionals who are responsible for delivering services in a way that is flexible, traceable, and cost-effective
- IT Professionals/Practitioners who are focused on instrumenting the IT management landscape
- IT leaders who are concerned about the nature and appropriateness of their operating model

A prior knowledge of IT service management is advantageous but not required.

The Pocket Guide is structured as follows:

- Chapter 1 provides an introduction to this Pocket Guide, the IT4IT Reference Architecture, the structure of the IT4IT standard, and the positioning of the IT4IT standard in the standards landscape.
- Chapter 2 describes the IT Value Chain and IT4IT Reference Architecture concepts, including Value Streams.
- Chapter 3 describes the Strategy to Portfolio (S2P) Value Stream.
- Chapter 4 describes the Requirement to Deploy (R2D) Value Stream.
- Chapter 5 describes the Request to Fulfill (R2F) Value Stream.
- Chapter 6 describes the Detect to Correct (D2C) Value Stream.
- Appendix A summarizes the differences between the IT4IT Reference Architecture and ITIL.
- Appendix B includes the glossary of terms.
- Appendix C includes acronyms and abbreviations used in this Pocket Guide.

About IT4ITTM

- IT4IT, an evolving Open Group standard, provides a vendor-neutral, technology-agnostic, and industry-agnostic reference architecture for managing the business of IT, enabling insight for continuous improvement.
- IT4IT provides the capabilities for managing the business of IT that will enable IT execution across the entire Value Chain in a better, faster, cheaper way with less risk.
- IT4IT is industry-independent to solve the same problems for everyone.
- IT4IT is designed for existing landscapes and accommodates future IT paradigms.

Conventions Used in this Pocket Guide

The following conventions are used throughout this Pocket Guide in order to help identify important information and avoid confusion over the intended meaning.

• Ellipsis (...)

Indicates a continuation; such as an incomplete list of example items, or a continuation from preceding text.

• Bold

Used to highlight specific terms.

• Italics

Used for emphasis. May also refer to other external documents.

Readers should note that due to the limited number of colors used in this Pocket Guide, the model diagrams use a different color scheme to the official IT4IT documentation.

In addition to typographical conventions, the following conventions are used to highlight segments of text:



A Note box is used to highlight useful or interesting information.

About The Open Group

The Open Group is a global consortium that enables the achievement of business objectives through IT standards. With more than 500 member organizations, The Open Group has a diverse membership that spans all sectors of the IT community – customers, systems and solutions suppliers, tool vendors, integrators, and consultants, as well as academics and researchers – to:

• Capture, understand, and address current and emerging requirements, and establish policies and share best practices

- Facilitate interoperability, develop consensus, and evolve and integrate specifications and open source technologies
- Offer a comprehensive set of services to enhance the operational efficiency of consortia
- Operate the industry's premier certification service

Further information on The Open Group is available at www.opengroup.org.

The Open Group publishes a wide range of technical documentation, most of which is focused on development of Open Group Standards and Guides, but which also includes white papers, technical studies, certification and testing documentation, and business titles. Full details and a catalog are available at www.opengroup.org/bookstore.

Readers should note that updates – in the form of Corrigenda – may apply to any publication. This information is published at www.opengroup.org/ corrigenda.

About the Authors

Andrew Josey, The Open Group

Andrew Josey is Director of Standards within The Open Group. He is currently managing the standards process for The Open Group, and has recently led the standards development projects for the ArchiMate[®] Model Exchange File Format Standard, the ArchiMate[®] 2.1 Specification and the TOGAF[®] 9.1 Standard, IEEE Std 1003.1 2013 Edition (POSIX[®]), and the core specifications of the Single UNIX[®] Specification, Version 4. He is a member of the IEEE, USENIX, UKUUG, and the Association of Enterprise Architects (AEA).

Sylvain Marie, Arismore

Sylvain Marie is Project Director and Lead IT4IT Architect at Arismore, a consulting company involved in digital transformation. He is also in charge of the IT operational excellence offer within Arismore. He has been involved in IT service management projects from process design to tools implementation in large international enterprises for over 20 years He is a member of itSMF, The Open Group IT4IT Forum, and is ITIL and TOGAF certified. Within the itSMF, he is co-author of a white paper on "Transforming IT into a Service Provider" and has recently led a work stream on "Architecting the Information System of IT".

Charles (Charlie) Betz, Armstrong Process Group

Charlie Betz is the founder of Digital Management Academy LLC, a training, advisory, and consulting firm focused on new approaches to managing the "business of IT". He spent 6 years at Wells Fargo as VP and Enterprise Architect for IT Portfolio Management and Systems Management. He has held analyst, architect, and application manager positions for AT&T, Best Buy, Target, EMA, and Accenture, specializing in IT management, Cloud, and Enterprise Architecture. He has served as an ITIL reviewer and COBIT author. Currently, he is active in The Open

Group IT4IT Forum representing Armstrong Process Group. Charlie is an adjunct faculty member at the University of St. Thomas, and lives in Minneapolis, Minnesota with wife Sue and son Keane.

Christopher Davis, University of South Florida

Chris is Professor of Information Systems at the University of South Florida. His academic career spans 26 years, prior to which he spent 18 years in roles as an analyst and project manager in public sector and corporate organizations in the UK and Europe. Chris is particularly noted for his work on sensemaking in design. His work has been published in a range of outlets including *Communications of the ACM* and the *MIS Quarterly*. He is a Fellow of the British Computer Society, a Senior Member of IEEE, and served until recently as Associate Editor of the *European Journal of Information Systems*. Chris currently serves as the Chairman of The Open Group IT4IT Forum.

Lars Rossen, Hewlett-Packard

Lars Rossen is a Distinguished Technologist, and Chief Architect of the IT4IT initiative in Hewlett-Packard. He was part of the inception of the IT4IT initiative and constructed the first version of the IT4IT architecture. He leads the initiative that aligns and integrates all of the Hewlett-Packard management tools using IT4IT as the reference. Lars has been working on IT and Service Provider management systems and software for 20 years. Lars has a PhD in Computer Science, an MSc in Engineering, and an MBA in Technology Management. He currently lives in Denmark.

Trademarks

ArchiMate[®], DirecNet[®], Making Standards Work[®], OpenPegasus[®], The Open Group[®], TOGAF[®], UNIX[®], and the Open Brand ("X" logo) are registered trademarks and Boundaryless Information Flow[™], Build with Integrity Buy with Confidence[™], Dependability Through Assuredness[™], FACE[™], IT4IT[™], Open Platform 3.0[™], Open Trusted Technology Provider[™], UDEF[™], and the Open "O" logo and The Open Group Certification logo are trademarks of The Open Group in the United States and other countries.

CMMI® is registered in the US Patent and Trademark Office by Carnegie Mellon University.

COBIT® is a registered trademark of the Information Systems Audit and Control Association (ISACA) and the IT Governance Institute.

eTOM® is a registered trademark of the TM Forum.

ITIL® is a registered trademark of AXELOS Ltd.

OASIS[™] and TOSCA[™] are trademarks of OASIS.

OMG[®], Unified Modeling Language[®], and UML[®], are registered trademarks of the Object Management Group, Inc. in the United States and/or other countries.

All other brands, company, and product names are used for identification purposes only and may be trademarks that are the sole property of their respective owners.

Acknowledgements

The Open Group gratefully acknowledges:

- Past and present members of The Open Group IT4ITTM Forum for developing the IT4IT Reference Architecture and additional associated materials.
- The following reviewers of this document:
 - Steve Else
 - Mike Fulton
 - Steve Philp
 - Bart Verbrugge
 - Erik Witte

References

The following documents are referenced in this Pocket Guide:

- ArchiMate[®] 2.1 Specification, Open Group Standard (C13L), December 2013, published by The Open Group; refer to: www.opengroup.org/bookstore/catalog/c13l.htm.
- M. Porter: Competitive Advantage: Creating and Sustaining Superior Performance, ISBN: 978-0684841465, Free Press; 1st Edition (June 1998).
- TOGAF Version 9.1 (English version), Open Group Standard, available online at www.opengroup.org/architecture/togaf9-doc/arch, and also available as TOGAF Version 9.1 "The Book" (ISBN: 978 90 8753 6794, G116) at www.opengroup.org/bookstore/catalog/g116.htm.