The IT4IT™ Reference Architecture, Version 2.1









The Open Group IT4IT™ Reference Architecture, Version 2.1

The Open Group Publications available from Van Haren Publishing

The TOGAF Series:

TOGAF° Version 9.1 TOGAF° Version 9.1 – A Pocket Guide TOGAF° 9 Foundation Study Guide, 3rd Edition TOGAF° 9 Certified Study Guide, 3rd Edition

The Open Group Series:

The IT4IT™ Reference Architecture, Version 2.1
IT4IT™ for Managing the Business of IT – A Management Guide
IT4IT™ Foundation Study Guide
The IT4IT™ Reference Architecture, Version 2.1 – A Pocket Guide
Cloud Computing for Business – The Open Group Guide
ArchiMate® 3.0 – A Pocket Guide
ArchiMate® 2 Certification – Study Guide
ArchiMate® 3.0 Specification

The Open Group Security Series:

O-TTPS - A Management Guide Open Information Security Management Maturity Model (O-ISM3) Open Enterprise Security Architecture (O-ESA) Risk Management – The Open Group Guide The Open FAIR™ Body of Knowledge – A Pocket Guide

All titles are available to purchase from: www.opengroup.org www.vanharen.net and also many international and online distributors.

Open Group Standard

The Open Group IT4IT™ Reference Architecture Version 2.1







Colophon

Title: The Open Group IT4IT™ Reference Architecture,

Version 2.1

A Publication of: The Open Group

Publisher: Van Haren Publishing, Zaltbommel, www.vanharen.net

ISBN Hard copy: 978 94 018 0112 6 ISBN eBook: 978 94 018 0113 3 ISBN ePub: 978 94 018 0114 0

Edition: First edition, first impression, January 2016

Second edition, first impression, April 2017

Copyright: © 2015, 2017 The Open Group. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of the copyright owner.

Open Group Standard

The Open Group IT4IT™ Reference Architecture, Version 2.1

Document Number: C171

Published by The Open Group, April 2017.

Comments relating to the material contained in this document may be submitted to:

The Open Group Apex Plaza Forbury Road Reading Berkshire, RG1 1AX United Kingdom

or by electronic mail to: it4it-comments@opengroup.org

For any further enquiries about Van Haren Publishing, please send an email to: info@vanharen.net.

Contents

1	Intro	Introduction1			
	1.1	Objective	1		
	1.2	Overview	1		
	1.3	Conformance	1		
	1.4	Normative References	1		
	1.5	Terminology	1		
	1.6	Future Directions	2		
2	Definitions				
	2.1	Service Lifecycle Data Object			
	2.2				
	2.3	Value Chain			
	2.4	Value Stream.			
	2.5	Functional Component			
	2.6	Service Model Backbone Data Object			
	2.7	Relationship	4		
	2.8	System of Record	4		
	2.9	IT Service	5		
3	Overview				
	3.1	What is the IT Value Chain?			
	3.2	IT Value Chain and IT4IT Reference Architecture			
	3.3	IT Value Streams			
		3.3.1 Strategy to Portfolio	10		
		3.3.2 Requirement to Deploy	12		
		3.3.3 Request to Fulfill			
		3.3.4 Detect to Correct	14		
	3.4 IT4IT Reference Architecture		15		
		3.4.1 Service Model			
		3.4.2 Information Model			
		3.4.3 Functional Model			
		3.4.4 Integration Model			
	3.5	IT Service	23		
4	IT4I	T Core	25		
	4.1	Introduction			
	4.2	IT4IT Abstraction Levels and Class Structure	25		
		4.2.1 IT4IT Abstractions			
		4.2.2 Concepts at Level 1: End-to-End Overview			
		4.2.3 Level 1 Reference Architecture Model			
		4.2.4 Concepts at Level 2: Value Stream Documentation	32		
		4.2.5 Level 2 Reference Architecture Diagram (Example)	38		
		4.2.6 Concepts at Level 3: Vendor-Independent Architecture	39		
		4.2.7 Level 3 Reference Architecture Diagram (Example)			
		4.2.8 Concepts at Levels 4 and 5 – Vendor Extensions	45		

5	Strategy to Portfolio (S2P) Value Stream				
	5.1	Objecti	ves	47	
	5.2	Busines	ss Value Proposition	48	
	5.3		rformance Indicators		
	5.4	Value S	Stream Definition	49	
		5.4.1	Enterprise Architecture Functional Component		
		5.4.2	Policy Functional Component		
		5.4.3	Proposal Functional Component	53	
		5.4.4	Portfolio Demand Functional Component		
		5.4.5	Service Portfolio Functional Component		
		5.4.6	IT Investment Portfolio – Auxiliary Functional Component		
6	Requirement to Deploy (R2D) Value Stream				
	6.1	Objecti	ves	63	
	6.2	Busines	ss Value Proposition	64	
	6.3		rformance Indicators		
	6.4	Value S	Stream Definition		
		6.4.1	Project Functional Component	67	
		6.4.2	Requirement Functional Component	70	
		6.4.3	Service Design Functional Component	73	
		6.4.4	Source Control Functional Component		
		6.4.5	Build Functional Component	79	
		6.4.6	Build Package Functional Component	81	
		6.4.7	Release Composition Functional Component		
		6.4.8	Test Functional Component		
		6.4.9	Defect Functional Component	89	
7	Request to Fulfill (R2F) Value Stream				
	7.1	Objecti	ves	92	
	7.2	Busines	ss Value Proposition	93	
	7.3	Key Pe	rformance Indicators	94	
	7.4				
		7.4.1	Engagement Experience Portal (Secondary Functional Component)	96	
		7.4.2	Offer Consumption Functional Component		
		7.4.3	Offer Management Functional Component		
		7.4.4	Catalog Composition Functional Component		
		7.4.5	Request Rationalization Functional Component		
		7.4.6	Fulfillment Execution Functional Component		
		7.4.7	Usage Functional Component		
		7.4.8	Chargeback/Showback Functional Component		
		7.4.9	Knowledge & Collaboration Supporting Function		
8	Dete	ect to Corr	rect (D2C) Value Stream	119	
	8.1				
	8.2		ss Value Proposition		
	8.3		rformance Indicators		
	8.4		Stream Definition		
		8.4.1	Service Monitoring Functional Component		
		8.4.2	Event Functional Component		
		~	Incident Functional Component		

		8.4.4	Problem Functional Component	131
		8.4.5	Change Control Functional Component	
		8.4.6	Configuration Management Functional Component	
		8.4.7	Diagnostics & Remediation Functional Component	139
		8.4.8	Service Level Functional Component	
		8.4.9	Other IT Operations Areas	144
A	Ratio	onale (Inf	formative)	145
	A.1	Introdu	ection	145
	A.2	Definit	ions	145
	A.3	Overvio	ew	145
		A.3.1	Business Drivers for an Improved IT Operating Model	146
		A.3.2	The IT Value Chain	147
	A.4	IT4IT (Core	
		A.4.1	Value Streams	149
		A.4.2	Functional Components	149
	A.5	Strateg	y to Portfolio Value Stream	149
		A.5.1	Related Standards, Frameworks, and Guidance	149
	A.6	Require	ement to Deploy Value Stream	150
		A.6.1	Related Standards, Frameworks, and Guidance	150
	A.7	Reques	st to Fulfill Value Stream	151
		A.7.1	Related Standards, Frameworks, and Guidance	151
	A.8	Detect	to Correct Value Stream	152
		A.8.1	Related Standards, Frameworks, and Guidance	152

List of Figures

Figure 1: Documentation Structure of the I1411 Reference Architecture	. X1
Figure 2: IT Value Chain	
Figure 3: IT Value Streams and Service Models	
Figure 4: Value Stream Overview	
Figure 5: Strategy to Portfolio Activities	
Figure 6: Requirement to Deploy Activities	
Figure 7: Request to Fulfill Activities	
Figure 8: Detect to Correct Activities	
Figure 9: IT4IT Service Model	
Figure 10: Data Objects and Relationships	. 19
Figure 11: Engagement Experience Portal Functional Component	.21
Figure 12: Data Flows in the IT4IT Reference Architecture	.21
Figure 13: Engagement and Insight Information Flow	. 22
Figure 14: IT Service	
Figure 15: IT4IT Reference Architecture Levels	
Figure 16: Level 1 Class Model	
Figure 17: Functional Component Notation	28
Figure 18: Functional Component to Data Object Notation	. 28
Figure 19: Functional Components and Data Objects	. 29
Figure 20: Service Lifecycle Data Object Notation	.30
Figure 21: System of Record Fabric	. 31
Figure 22: Relationships Notation	
Figure 23: IT4IT Level 1 Reference Architecture Model	.32
Figure 24: Level 2 Class Model	.33
Figure 25: Data Flow Notation	. 34
Figure 26: Data Object State Model Dependency Illustration	. 35
Figure 27: System of Engagement Integration Illustration	36
Figure 28: System of Record and Engagement Integration Notation	36
Figure 29: Capability Discipline Informal Notation	. 37
Figure 30: Capability Discipline Formal Notation	.38
Figure 31: Example Level 2 Diagram (R2F Value Stream)	
Figure 32: Level 3 Class Model	
Figure 33: Scenario Process Flow Example	
Figure 34: Essential Service Diagram Example	
Figure 35: Essential Attributes Example	
Figure 36: Essential Attributes Notation	
Figure 37: Example of Functional Components, Data Objects, and Essential Services.	
Figure 38: Level 3 Notation Guide	
Figure 39: Strategy to Portfolio Level 2 Value Stream Diagram	
Figure 40: Enterprise Architecture Functional Component Level 2 Model	
Figure 41: Policy Functional Component Level 2 Model	53

Figure 42: Proposal Functional Component Level 2 Model	56
Figure 43: Portfolio Demand Functional Component Level 2 Model	58
Figure 44: Service Portfolio Functional Component Level 2 Model	61
Figure 45: IT Investment Portfolio - Auxiliary Functional Component Level 2 Mode	
Figure 46: Requirement to Deploy Level 2 Value Stream Diagram	
Figure 47: Project Functional Component Level 2 Model	70
Figure 48: Requirement Functional Component Level 2 Model	73
Figure 49: Service Design Functional Component Level 2 Model	76
Figure 50: Source Control Functional Component Level 2 Model	79
Figure 51: Build Functional Component Level 2 Model	81
Figure 52: Build Package Functional Component Level 2 Model	82
Figure 53: Release Composition Functional Component Level 2 Model	86
Figure 54: Test Functional Component Level 2 Model	89
Figure 55: Defect Functional Component Level 2 Model	91
Figure 56: Request to Fulfill Level 2 Value Stream Diagram	96
Figure 57: Engagement Experience Portal Level 2 Model	98
Figure 58: Offer Consumption Functional Component Level 2 Model	100
Figure 59: Offer Management Functional Component Level 2 Model	
Figure 60: Catalog Composition Functional Component Level 2 Model	
Figure 61: Request Rationalization Functional Component Level 2 Model	107
Figure 62: Fulfillment Execution Functional Component Level 2 Model	111
Figure 63: Usage Functional Component Level 2 Model	113
Figure 64: Chargeback/Showback Functional Component Level 2 Model	115
Figure 65: Knowledge & Collaboration Supporting Function Level 2 Model	118
Figure 66: Detect to Correct Level 2 Value Stream Diagram	
Figure 67: Service Monitoring Functional Component Level 2 Model	
Figure 68: Event Functional Component Level 2 Model	128
Figure 69: Incident Functional Component Level 2 Model	131
Figure 70: Problem Functional Component Level 2 Model	
Figure 71: Change Control Functional Component Level 2 Model	137
Figure 72: Configuration Management Functional Component Level 2 Model	
Figure 73: Diagnostics & Remediation Functional Component Level 2 Model	
Figure 74: Service Level Functional Component Level 2 Model	144

Preface

The Open Group

The Open Group is a global consortium that enables the achievement of business objectives through IT standards. With more than 500 member organizations, The Open Group has a diverse membership that spans all sectors of the IT community – customers, systems and solutions suppliers, tool vendors, integrators, and consultants, as well as academics and researchers – to:

- Capture, understand, and address current and emerging requirements, and establish policies and share best practices
- Facilitate interoperability, develop consensus, and evolve and integrate specifications and open source technologies
- Offer a comprehensive set of services to enhance the operational efficiency of consortia
- Operate the industry's premier certification service

Further information on The Open Group is available at www.opengroup.org.

The Open Group publishes a wide range of technical documentation, most of which is focused on development of Open Group Standards and Guides, but which also includes white papers, technical studies, certification and testing documentation, and business titles. Full details and a catalog are available at www.opengroup.org/bookstore.

Readers should note that updates – in the form of Corrigenda – may apply to any publication. This information is published at www.opengroup.org/corrigenda.

The IT4IT™ Forum

The IT4IT Forum, a Forum of The Open Group, enables industry thought leaders to collaborate in the development of the IT4IT Value Chain and Reference Architecture standard for business benefit

The mission of this Forum is to create and drive the adoption of the IT4IT Reference Architecture standard to manage the business of IT, enable business insight across the IT value chain, increase focus on business outcomes, and improve agility.

Participation in the IT4IT Forum enables IT practitioners, consultants, technology and training vendors, service providers, business managers, and academics to come together in a technology-agnostic, industry-agnostic, and vendor-neutral environment to solve shared IT Management challenges. Participants in IT4IT Forum work groups benefit as they:

- Increase their depth of knowledge of the standard and how to use it to benefit their organization
- Gain early access to the latest thinking, before it gets published broadly to the world

- Learn from collaborating with others and networking with industry thought leaders and competitors
- Build personal relationships and contacts that will be of benefit long into the future
- Take advantage of opportunities to build a personal brand and develop professionally

For further information, visit www.opengroup.org/IT4IT.

This Document

The Open Group IT4ITTM Reference Architecture refers to the capability or capabilities required to manage the business of IT, covering IT end-to-end from plan, through build and operate. It assumes the principle that the business of running IT is industry-agnostic and that IT leaders share the same problems and opportunities in managing the service lifecycle effectively. At the core, these problems are rooted in IT structure, competencies, and capabilities and the missing link has been the lack of a business model for IT. The IT4IT Reference Architecture proposes that it is possible to establish an IT standard mapped to the existing IT landscape yet flexible enough to support the volatility inherent in the IT industry and accommodate changing IT paradigms (composite apps, agile development, mobile technology, multi-sourcing, etc.).

The IT Value Chain and IT4IT Reference Architecture represent the IT service lifecycle in a new and powerful way, providing the missing link between industry standard best practice guides and the technology you need to select and execute those processes. The IT Value Chain and IT4IT Reference Architecture are a new foundation on which to base your IT4IT operating model and provide a welcome blueprint for the CIO to accelerate IT's transition to becoming a service broker to the business

This document is The Open Group IT4IT Reference Architecture, Version 2.1, an Open Group Standard. It has been developed and approved by The Open Group.

This document is structured as follows:

- Chapter 1 (Introduction) introduces this document and the purpose of the IT4IT work.
- Chapter 2 (Definitions) lists important definitions needed in order to read the document.
- Chapter 3 (Overview) is an introduction for executives and others introducing the IT Value Chain and IT4IT Reference Architecture concepts.
- Chapter 4 (IT4IT Core) defines the structure of the IT4IT standard as well as the process and document structure used by the IT4IT standard.
- Chapter 5 (Strategy to Portfolio (S2P) Value Stream) explains the S2P Value Stream in detail.
- Chapter 6 (Requirement to Deploy (R2D) Value Stream) explains the R2D Value Stream in detail
- Chapter 7 (Request to Fulfill (R2F) Value Stream) explains the R2F Value Stream in detail
- Chapter 8 (Detect to Correct (D2C) Value Stream) explains the D2C Value Stream in detail.

Appendix A (Rationale (Informative)) contains background information on the standard.

How to Use this Standard

It is recommended that the reader start by familiarizing themselves with Chapter 3 (Overview) which introduces the concepts of the IT Value Chain. This should then be followed by the IT4IT Core (Chapter 4), and the four IT Value Streams. These are:

- Strategy to Portfolio (S2P) Value Stream (Chapter 5)
- Requirement to Deploy (R2D) Value Stream (Chapter 6)
- Request to Fulfill (R2F) Value Stream (Chapter 7)
- Detect to Correct (D2C) Value Stream (Chapter 8)

Documentation Structure of the IT4IT Reference Architecture

Figure 1 is a graphical representation of the data objects associated with the IT4IT Reference Architecture. The architecture is comprised of a set of normative documents and a formal model described using the ArchiMate modeling language and UML. These define "what" the architecture is. The normative documentation includes:

- IT4IT Reference Architecture Overview
- IT4IT Value Stream Overview
- IT4IT Reference Architecture diagrams
- IT4IT meta-model diagram
- Glossary

The Reference Architecture diagrams will be available in other formats as part of the licensed downloads from The Open Group website.

A set of guidance documents has been developed to accompany the architecture, intended to describe "how" to apply the architecture in practice. Guidance documents include:

- Definition of IT Service White Paper
- Service Model Management White Paper
- Service-Level Management White Paper
- Multi-Supplier Management White Paper
- IT Financial Management Scenario
- Agile Scenario

Open Group Standard (2017)

х

¹ A normative document is one that provides rules, guidelines, or characteristics for activities or their results. The term "normative document" is a generic term that covers such documents as standards, technical specifications, codes of practice, and regulations; e.g., European Cooperation for Space Standardization (ECSS).




Figure 1: Documentation Structure of the IT4IT Reference Architecture

Documents/artifacts that fall into these two categories are governed by The Open Group Standards Process. In addition, The Open Group will maintain a set of White Papers that complement the architecture and elaborate on its applicability and use in various settings.

IT4IT, Version 2.1 Release Highlights

The following topics have been included/enhanced in Version 2.1 of the IT4IT Reference Architecture.

- Service Model simplification and enhancement The data objects which make up the Service Model Backbone have been simplified and better defined to lead to a stronger understanding of the Reference Architecture in its entirety. The Service Model is the backbone of the entire standard.
- Financial Management supporting functionality The Reference Architecture has been
 updated to highlight how financial management capabilities are now supported by the
 standard. Financial Management is one of the supporting functions in the overall IT Value
 Chain and has impacts on core functions and data objects which have been updated to
 more effectively support this capability.
- General consistency and flow of the overall standard The Reference Architecture 2.0
 was the first version of the standard which was published. There were certain sections,
 naming conventions, and content which lacked some consistency throughout the standard
 which have now been resolved.

Related Industry Standards

Most IT management standards fall into one of two categories: process and/or method-focused technology and/or implementations-centric. There are no standards that prescribe both the IT model and automation guidelines for running the IT function. Therefore, the IT4IT Reference Architecture fills this gap and as such complements a number of existing standards and best practices such as:

- ISO/IEC 19770:2012: Information Technology Software Asset Management
- ISO/IEC 20000:2011: Information Technology Service Management
- ISO/IEC 38500:2008: Corporate Governance of Information Technology
- ISO/TC 258: Project, Program, and Portfolio Management
- Information Technology Infrastructure Library (ITIL)
- Control Objectives for Information and Related Technology (COBIT)
- Business Process Framework (eTOM)
- The TOGAF® standard
- The ArchiMate® modeling language
- The Scaled Agile Framework (SAFe)
- The Project Management Body of Knowledge (PMBOK)

Trademarks

ArchiMate[®], DirecNet[®], Making Standards Work[®], OpenPegasus[®], The Open Group[®], TOGAF[®], UNIX[®], UNIXWARE[®], X/Open[®], and the Open Brand X[®] logo are registered trademarks and Boundaryless Information FlowTM, Build with Integrity Buy with ConfidenceTM, Dependability Through AssurednessTM, EMMMTM, FACETM, the FACETM logo, IT4ITTM, the IT4ITTM logo, O-DEFTM, O-PASTM, Open FAIRTM, Open Platform 3.0TM, Open Process AutomationTM, Open Trusted Technology ProviderTM, Platform 3.0TM, SOSATM, the Open OTM logo, and The Open Group Certification logo (Open O and checkTM) are trademarks of The Open Group.

CMMI® is registered in the US Patent and Trademark Office by Carnegie Mellon University.

COBIT® is a registered trademark of the Information Systems Audit and Control Association (ISACA) and the IT Governance Institute.

eTOM® is a registered trademark of the TM Forum.

ITIL® is a registered trademark of AXELOS Ltd.

OASISTM and TOSCATM are trademarks of OASIS.

 OMG^{\circledast} , Unified Modeling Language $^{\circledast}$, and UML^{\circledast} , are registered trademarks of the Object Management Group, Inc. in the United States and/or other countries.

All other brands, company, and product names are used for identification purposes only and may be trademarks that are the sole property of their respective owners.

Acknowledgements

This standard was prepared by The Open Group IT4IT™ Forum.

When The Open Group approved the IT4ITTM Reference Architecture, Version 2.1, an Open Group Standard, on January 25, 2017, the membership of the IT4ITTM Forum was as follows:

Steering Committee

Rob Akershoek, Logicalis SMC, Chair Karel van Zeeland, Logicalis SMC, Vice-Chair Linda Kavanagh, The Open Group, Forum Director Andrew Josey, The Open Group, VP Standards & Certification Cathy Fox, The Open Group, Technical Editor

Lead Architects

Core Group: Lars Rossen, Hewlett Packard Enterprise

Service Model Management: Sue Desiderio, PricewaterhouseCoopers LLP, USA

IT Financial Management: Philippe Geneste, Accenture

IT Asset Management: Charlie Betz, Armstrong Process Group

Service-Level Management: Ohad Goldfarb, Hewlett Packard Enterprise

Lead Value Stream Editors

Core: Lars Rossen, Hewlett Packard Enterprise S2P: Jim Johnson, Hewlett Packard Enterprise

R2D: Sue Desiderio, PricewaterhouseCoopers LLP, USA R2F: Dan Rosenzweig, Hewlett Packard Enterprise D2C: Ohad Goldfarb, Hewlett Packard Enterprise

Contributors

The Open Group gratefully acknowledges the contribution of the following members of the IT4ITTM Forum in the development of this standard:

Richard Aarnink Linda Kavanagh Rob Akershoek Mark Luchtmeijer Chris Armstrong Lakshmi Malhotra Sylvain Marie Charles Betz Georg Bock Gunnar Menzel Mark Bodman Satya Misra Paul Buckley Brian Ng James Caruso Dan Rosenzweig Eran Cohen Lars Rossen Vasu Sankhavaram Sam Courtney Sukumar Daniel Peter Scheffczyk

Dwight David Ryan Schmierer Christopher Davis Rick Solis Ken Street Sue Desiderio Mary Street Ulrich Fever Mike Fulton Etienne Terpstra Philippe Geneste Richard Tian Erik van Busschbach Ohad Goldfarb Mark Grav Kees van den Brink Karel van Zeeland Claudia Guli Trev Harris Gerlan Verlouw Prafull Verma Rob Hengeveld Floris Verschoor Brian Hodgdon Keith Jahn Ulrich Wanka Jim Johnson Erik Witte

Technical Reviewers

Technical reviewers are those individuals who have submitted comments during the company review, or participated in the resolution process during the development of the IT4IT Reference Architecture, Version 2.1.

Sam Courtney Andrew Josey
Chris Davis Martin Kirk
Sue Desiderio Randall Ramsey
Thorbjörn Ellefsen Lars Rossen
Ohad Goldfarb Mark Smalley

IT4IT™ Forum Members

Accenture Limited, USA

Achmea. The Netherlands

Action Research Foundation, India

Agency for Public Management and eGovernment (Difi), Norway

Arismore, France

Armstrong Process Group, Inc., USA

AT&T IT Architecture Solutions, USA

ATE Enterprises Ltd., UK

Biner Consulting, Sweden

BP Oil International Limited, UK

CA, Inc., USA

Capgemini S.A., The Netherlands

CC and C Solutions, USA

Conexiam Solutions, Inc., USA

Dux Diligens S.A de C.V, Mexico

EA Principals, Inc., USA

Ernst & Young, UK

ExxonMobil, USA

Fujitsu, Japan

HCL Technologies Ltd., India

Hewlett Packard Enterprise, USA

Huawei Technologies, Co. Ltd., China

IBM, USA

Logicalis SMC, The Netherlands

Microsoft, USA

Ministerie van Financien, The Netherlands

Munich Re Group, Germany

National Healthcare, USA

Nationwide Mutual Insurance Company, Inc., USA

Oracle Corporation, USA

Origin Energy, Australia

PricewaterhouseCoopers LLP, USA

Raytheon Company, USA

Real IRM Solutions (Pty) Ltd., South Africa

ServiceNow, Inc., USA

Shell Information Technology International B.V., The Netherlands

Shift Technologies LLC, United Arab Emirates

Stichting ASL BiSL Foundation, The Netherlands

Tata Consultancy Services Ltd., India

The Boeing Company, USA

UMBRiO, The Netherlands

University of South Florida, USA

Westbury Software, The Netherlands

Referenced Documents

(Please note that the links below are good at the time of writing but cannot be guaranteed for the future.)

Normative References

Normative references for this standard are defined in Section 1.4.

Informative References

The following documents are referenced in this standard:

- Agile Alliance: Agile Manifesto and Principles (2001); retrieved 4/13/2011, from http://agilemanifesto.org/principles.html.
- J. Allspaw, J. Robbins: Web Operations, Beijing China, Sebastopol CA, O'Reilly (2010).
- ASL Foundation: Application Services Library (2005); retrieved 11/13/2005, from www.aslfoundation.org.
- K. Behr, G. Kim et al: The Visible Ops Handbook Implementing ITIL in Four Practical and Auditable Steps, Eugene OR, Information Technology Process Institute (2005).
- R.J. Benson, T.L. Bugnitz et al: From Business Strategy to IT Action Right Decisions for a Better Bottom Line, New York; Chichester, Wiley (2004).
- C.T. Betz: Architecture and Patterns for IT: Service and Portfolio Management and Governance (Making Shoes for the Cobbler's Children), 2nd Edition, Amsterdam, Elsevier/Morgan Kaufman (2011).
- P. Bourque, R.E. Fairley, Eds.: Guide to the Software Engineering Body of Knowledge, Version 3.0, IEEE Computer Society (2014).
- J.A. Carbone: IT Architecture Toolkit, Upper Saddle River, NJ, Prentice Hall (2004).
- CMMI Product Team: CMMI for Acquisition, Version 1.3. Pittsburgh PA, Carnegie Mellon Software Engineering Institute (2010).
- CMMI Product Team: CMMI for Development, Version 1.3, Pittsburgh PA, Carnegie Mellon Software Engineering Institute (2010).
- CMMI Product Team: CMMI for Services, Version 1.3, Pittsburgh PA, Carnegie Mellon Software Engineering Institute (2010).
- A. Cockburn: Writing Effective Use-Cases, Boston, Addison-Wesley (2001).
- M.A. Cook: Building Enterprise Information Architectures Re-Engineering Information Systems, Upper Saddle River, NJ, Prentice Hall (1996).

- P.M. Duvall, S. Matyas et al: Continuous Integration Improving Software Quality and Reducing Risk, Upper Saddle River, NJ, Addison-Wesley (2007).
- J. Humble, D. Farley: Continuous Delivery, Boston, Addison-Wesley (2011).
- IEEE 730-2014: IEEE Standard for Software Quality Assurance Processes.
- ISACA: Control Objectives for Information and Related Technology (COBIT 5); refer to www.isaca.org.
- ISO/IEC 2005: Regional or National Adoption of International Standards and Other International Deliverables (Guide 21-2).
- ISO/IEC 2008: Uncertainty of Measurement (Guide 98-3).
- ISO/IEC 2013: ISO/IEC Directives.
- ISO/IEC 19770:2012: Information Technology Software Asset Management.
- ISO/IEC 20000:2011: Information Technology Service Management.
- ISO/IEC 27002:2013: Information Technology Security Techniques Code of Practice for Information Security Controls.
- ISO/IEC 38500:2008: Corporate Governance of Information Technology.
- ISO/TC 258: Project, Program, and Portfolio Management.
- J.D. Kaplan: Strategic IT Portfolio Management Governing Enterprise Transformation, US, Pittiglio Rabin Todd & McGrath Inc. (2005).
- H. Kern, R. Schiesser et al: IT Production Services, Upper Saddle River, NJ, Prentice Hall Professional Technical Reference (2004).
- L. Klosterboer: Implementing ITIL Change and Release Management, Upper Saddle River, NJ, IBM; London: Pearson Education [distributor] (2009).
- D. Leffingwell, A. Yakyma et al: Scaled Agile Framework, from http://scaledagileframework.com (2014).
- T.A. Limoncelli, S.R. Chalup et al: The Practice of Cloud System Administration: Designing and Operating Large Distributed Systems, Vol. 2, Pearson Education Ltd. (2014).
- D.C. Luckham: The Power of Events An Introduction to Complex Event Processing in Distributed Enterprise Systems, Boston, MA; London, Addison-Wesley (2002).
- B. Maizlish, R. Handler: IT Portfolio Management Step-By-Step: Unlocking the Business Value of Technology, Hoboken, MJ, John Wiley & Sons (2005).
- J. Martin: Great Transition: Using the Seven Disciplines of Enterprise Engineering, ISBN: 978-0814403150, Amacom (January 1995).
- F.W. McFarlan: Portfolio Approach to Information Systems, Harvard Business Review 59(5): 142-150 (1981).

- OASIS: Topology and Orchestration Specification for Cloud Applications (TOSCA), Version 1.0 (2013).
- G. O'Donnell, C. Casanova: The Configuration Management Database (CMDB)
 Imperative: How to Realize the Dream and Avoid the Nightmares, Upper Saddle River,
 NJ, Prentice Hall; London: Pearson Education [distributor] (2009).
- Office of Government Commerce: Application Management, London, The Stationary Office (2002).
- M. O'Loughlin: The Service Catalog: A Practitioner Guide, Zaltbommel, The Netherlands, Van Haren Publishing (2009).
- M. Porter: Competitive Advantage: Creating and Sustaining Superior Performance, ISBN: 978-0684841465, Free Press; 1st Edition (June 1998).
- Project Management Institute: A Guide to the Project Management Body of Knowledge (PMBOK) (2013).
- T.A. Quinlan: Chargeback and IT Cost Accounting, Santa Barbara, CA, IT Financial Management Association (2003).
- T.A. Quinlan, S.J. Quinlan: Readings in IT Financial Management, Santa Barbara, CA, IT Financial Management Association (2003).
- Rational Software: Rational Unified Process: Best Practices for Software Development Teams (2011).
- D. Remenyi, A.H. Money et al: The Effective Measurement and Management of ICT Costs and Benefits, Oxford; Burlington, MA, CIMA (2007).
- R. Schiesser: IT Systems Management, Upper Saddle River, NJ, Prentice Hall (2010).
- R. Schiesser, H. Kern: Enterprise Computing Institute: IT Systems Management, Upper Saddle River, NJ, Prentice Hall (2002).
- SOA Reference Architecture, an Open Group Standard (C119), December 2011, published by The Open Group; refer to: www.opengroup.org/bookstore/catalog/c119.htm.
- S.H. Spewak, S.C. Hill: Enterprise Architecture Planning Developing a Blueprint for Data, Applications, and Technology, Boston, OED Pub. Group (1993).
- R. Sturm, W. Morris et al: Foundations of Service-Level Management, Indianapolis, IN, SAMS (2000).
- The Stationery Office: ITIL Continual Service Improvement, Norwich UK (2011).
- The Stationery Office: ITIL Service Design, Norwich UK (2011).
- The Stationery Office: ITIL Service Operation, Norwich UK (2011).
- The Stationery Office: ITIL Service Strategy, Norwich UK (2011).
- The Stationery Office: ITIL Service Transition, Norwich UK (2011).

- TOGAF Version 9.1 (English version), an Open Group Standard, available online at www.opengroup.org/architecture/togaf9-doc/arch, and also available as TOGAF Version 9.1 "The Book" (ISBN: 978 90 8753 6794, G116) at www.opengroup.org/bookstore/catalog/g116.htm.
- W. Ulrich, N. McWhorter: Business Architecture: The Art and Practice of Business Transformation, Tampa, FL, Meghan-Kiffer (2010).
- Unified Modeling Language (UML), Object Management Group (OMG); refer to: www.uml.org.
- W. Van Grembergen: Strategies for Information Technology Governance, Hershey, PA; London, Idea Group Publishing (2004).
- W. Van Grembergen, S. Haes: Enterprise Governance of Information Technology Achieving Strategic Alignment and Value, New York, Springer (2009).
- E.A. Van Schaik: A Management System for the Information Business Organizational Analysis, Englewood Cliffs; London, Prentice Hall (1985).
- P. Weill, J.W. Ross: IT Governance How Top Performers Manage IT Decision Rights for Superior Results, Boston, MA, Harvard Business School; [London: McGraw-Hill] (2004).

1 Introduction

1.1 Objective

This standard is the specification of The Open Group IT4IT Reference Architecture, Version 2.1, an Open Group Standard. It describes a reference architecture illustrated by an IT Value Chain, that can be used to manage the business of IT.

1.2 Overview

The Open Group IT4IT Reference Architecture is a standard reference architecture for managing the business of IT. It uses a value chain approach to create a model of the functions that IT performs to help organizations identify the activities that contribute to business competitiveness. This value chain framework, called the IT Value Chain and specified in this document as part of the IT4IT Reference Architecture (see Section 3.1), applies this concept to IT by defining an integrated IT management framework focusing on the lifecycle of services. It identifies the key things that IT must do – and do well. It allows IT to achieve the same level of business predictability and efficiency that supply chain management has allowed for the business, and was designed by practitioners to be industry, product, and vendor-independent.

1.3 Conformance

Readers are advised to check The Open Group website for any conformance and certification requirements referencing this standard.

1.4 Normative References

The following standard contains provisions which, through references in this standard, constitute provisions of the IT4IT Reference Architecture. At the time of publication, the edition indicated was valid. All standards are subject to revision, and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent edition of the standard listed below.

 ArchiMate[®] 3.0 Specification, an Open Group Standard (C162), June 2016, published by The Open Group; refer to: www.opengroup.org/bookstore/catalog/c162.htm.

1.5 Terminology

For the purposes of this standard, the following terminology definitions apply:

Can Describes a possible feature or behavior available to the user or application.

May Describes a feature or behavior that is optional. To avoid ambiguity, the opposite of

"may" is expressed as "need not", instead of "may not".

Shall Describes a feature or behavior that is a requirement of the standard. To avoid

ambiguity, do not use "must" as an alternative to "shall".

Shall not Describes a feature or behavior that is an absolute prohibition of the standard.

Should Describes a feature or behavior that is recommended but not required.

Will Same meaning as "shall"; "shall" is the preferred term.

1.6 Future Directions

Work is currently underway to produce a roadmap for how IT can move from the familiar IT capability-based understanding to implementing the new service-centric IT Value Chain model.

Scenarios currently being discussed to be constructed in future releases include the following:

- Multi-vendor Availability & Capacity Management
- Multi-vendor Service-Level Management (SLM)
- Hybrid Requirements Management in the enterprise
- Change Management, including the relationship with Configuration Management
- S2P alignment with the TOGAF standard
- Service Request (Self-service & Knowledge Management)
- Risk Management
- Asset Management
- Alignment to Cloud

2

Intelligence and Reporting